

Safety Data Sheet

Leak Saver - Automotive Leak Sealant Injector & AC Drain Line Cleaner Tool | Condensate Line Co2 Drain Gun | AC Drain Line Unclogger



Date of issue: 01-Nov-2025 Revision date:01-Nov-2025 Version: 1.0

Section 1 - Product and Company Identification

1.1 Product identifier

Amazon Listing Title: Leak Saver - Automotive Leak Sealant Injector & AC Drain Line Cleaner Tool | Condensate Line Co2 Drain Gun | AC Drain Line Unclogger

Physical State: Liquid

Product Form: Mixture

Product Code (ASIN): B07YN74KF4; UPC: 604296228959

Others Name of Identification / Synonyms: Drain Auger and Injector Tool Set

1.2 Recommended use and restrictions on use

Relevant uses AC Drain Line Unclogger

1.3 Details of the supplier of the safety data sheet

Product Supplier/ Seller:

Name Professional HVAC Products LLC

Address: 1309 Coffeen Ave STE 1200
Sheridan, WY 82801, USA

Tel: +1 702 487 8285

Email: info@leaksavers.com

1.4 Emergency telephone number:

Emergency telephone number: +1 800-255-3924

Section 2 - Hazards Identification

CAUTIONS!

OXIDIZING GAS. KEEP OUT OF REACH OF CHILDREN. Keep away from heat and any ignition sources.

2.1. Classification of the substance or mixture

According to GHS classification

Gases under pressure, liquified gas H280

2.2. Label elements

Labelling according to GHS classification

Hazard pictograms:



GHS04

Signal word: Warning

Hazardous ingredients : Carbon dioxide (CO₂) gas

Hazard statements:

H280 - Contains gas under pressure; may explode if heated

Precautionary statements:

P102 - Keep out of reach of children.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing gas
P410 + P403 - Protect from sunlight. Store in a well-ventilated place.
P501 - Dispose of contents/container to an approved landfill/ incineration plant/waste disposal plant.

Safety Data Sheet

Leak Saver - Automotive Leak Sealant Injector & AC Drain Line Cleaner Tool | Condensate Line Co2 Drain Gun | AC Drain Line Unclogger



Date of issue: 01-Nov-2025 Revision date:01-Nov-2025 Version: 1.0

2.3. Other hazards

Asphyxiant in high concentrations.
Contact with liquid CO2 may cause cold burns/frostbite.

Section 3 - Composition / Information on Ingredients

3.1. Substances: Not applicable

3.2. Mixtures:

Name	Product identifier (CAS RN)	Conc. (%)	GHS Classification
Carbon dioxide	124-38-9	100	Press. Gas (Liq.), H280

*Full text of Hazard Statements: see section 16

Section 4 - First Aid Measures

4.1. Description of first aid measures

First-aid General:

Show this safety data sheet to the doctor in attendance. Get immediate medical advice/attention if required.

First-aid after inhalation:

Remove victim to uncontaminated area wearing self-contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped

First-aid after skin contact:

Carbon dioxide is harmless at atmospheric pressure. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

First-aid after eye contact:

Carbon dioxide is harmless at atmospheric pressure. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

First-aid after swallowing:

Ingestion is not considered a potential route of exposure. Refer to the inhalation section.

4.2. Most important symptoms and effects:

Symptoms/effects after inhalation:

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation.

Symptoms/effects after skin contact:

None Known

Symptoms/effects after eye contact:

None Known

Symptoms/effects after ingestion:

None Known

4.3. Immediate medical attention and special treatment if needed

Treat symptomatically.

Section 5 - Fire Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

Safety Data Sheet

Leak Saver - Automotive Leak Sealant Injector & AC Drain Line Cleaner Tool | Condensate Line Co2 Drain Gun | AC Drain Line Unclogger



Date of issue: 01-Nov-2025 Revision date:01-Nov-2025 Version: 1.0

Water Spray: yes | Foam: Yes | Halon: Yes | Carbon Dioxide: Yes | Dry Chemical: Yes

Unsuitable extinguishing media: None

5.2. Specific hazards developing from the chemical

Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.

5.3. Special protective equipment and precautions for firefighters

In case of fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Fire-fighting equipment/instructions:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Move containers from fire area if you can do so without risk. No action shall be taken involving any personal risk or without suitable training.

5.4. Precautions for firefighters:

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus (SCBA). Complete protective clothing. If protective equipment is not available or not used, fight fire from a protected location or safe distance.

Section 6 - Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

General: Do not breathe gas. Wear appropriate protective equipment. Ensure adequate ventilation.

For non-emergency personnel:

Put on appropriate personal protective equipment.

For emergency responders:

Evacuate unnecessary personnel. Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. See also the information in "For nonemergency personnel". See protective measures under Section 7 and 8.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

This material contains no more than 45 grams of carbon dioxide, in case of spill, allow carbon dioxide to vent naturally. Do not handle the cylinder without protective gloves as it may cause frostbite.

6.4. Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

7.1. Precautions for safe handling

Protective measures:

Protect cylinders from physical damage; do not drag, roll, slide or drop. Never attempt to repair or modify container valves or safety relief devices. Never attempt to transfer gases from one cylinder/container to another. Use personal protective equipment as required (see section 8).

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

Leak Saver - Automotive Leak Sealant Injector & AC Drain Line Cleaner
Tool | Condensate Line Co2 Drain Gun | AC Drain Line Unclogger



Date of issue: 01-Nov-2025 Revision date:01-Nov-2025 Version: 1.0

Store in accordance with local regulations. Store in a segregated and approved area. Incompatible Materials:
Store away from direct sunlight in a dry, cool and well-ventilated area. away from incompatible materials (see Section 10). Cylinder temperatures should not exceed 52°C (125°F).

7.3 Specific end use(s)

Use as directed

Section 8 - Exposure Controls / Personal Protection

8.1. Control parameters:

Occupational exposure limits: No Data Available

Biological exposure Indices (BEI): No Data Available

8.2 Exposure controls

Appropriate engineering controls:

Ensure exposure is below occupational exposure limits (where available). Use personal protective equipment to control the exposure (see section 8). Wash hands before breaks and at the end of workday.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

8.3. Individual protection measures/Personal protective equipment

Hygiene measures:

Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Hand protection:

Hand protection recommended while handling product.

Eye/face protection:

Eye protection recommended while handling product.

Skin and body protection:

Skin protection recommended at workplace while handling product.

Respiratory protection:

Respiratory protection recommended at workplace while handling product.

8.4. Environmental exposure controls:

Prevent product from entering drains.

Collect spillage.

Section 9 - Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	:	Colorless Gas
Physical state	:	Gas
Color	:	Clear dark red
Odor	:	Colorless
pH	:	<1
pH solution	:	No Data Available
Relative evaporation rate	:	No Data Available
Melting point	:	-78.5 °C
Boiling point	:	-56.6 °C
Flash point	:	Not Flammable
Evaporation rate	:	No Data Available
Auto-ignition temperature	:	Not Flammable

Safety Data Sheet

Leak Saver - Automotive Leak Sealant Injector & AC Drain Line Cleaner
Tool | Condensate Line Co2 Drain Gun | AC Drain Line Unclogger



Date of issue: 01-Nov-2025 Revision date:01-Nov-2025 Version: 1.0

Decomposition temperature	:	No Data Available
Vapor pressure	:	57.3 bar(a)
Vapor density	:	1.53 (Air = 1)
Relative Density	:	1.40 - 1.45
Solubility	:	Soluble
Viscosity, kinematic	:	No Data Available
Explosive properties:	:	No Explosion Hazard
Lower explosive limit (LEL)	:	Not Applicable
Upper explosive limit (UEL)	:	Not Applicable
Flammability	:	Not Flammable

9.2 Other information

Molar Mass	:	44 g/mol
VOC content	:	No Data Available

Section 10 - Stability and Reactivity

10.1 Reactivity

Hazardous reactions will not occur under normal conditions

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Stable under recommended storage conditions.

10.4 Conditions to avoid

High temperatures, Humidity

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

In a fire or if heated, a pressure increase will occur and the container may burst or explode.

Section 11 - Toxicological Information

11.1. Information on toxicological effects

Acute toxicity (oral):

Not classified.

Acute toxicity (dermal) :

Not classified.

Acute toxicity (inhalation):

Not classified.

Toxicology data for the components/mixture

No data Available

Skin corrosion/irritation:

Not classified.

Serious eye damage/irritation:

Not classified.

Respiratory or skin sensitization:

Not classified.

Germ cell mutagenicity:

Not Classified

Safety Data Sheet

Leak Saver - Automotive Leak Sealant Injector & AC Drain Line Cleaner Tool | Condensate Line Co2 Drain Gun | AC Drain Line Unclogger



Date of issue: 01-Nov-2025 Revision date:01-Nov-2025 Version: 1.0

Carcinogenicity:

Not Classified

Reproductive toxicity:

Not Classified.

STOT-single exposure:

Not Classified.

STOT-repeated exposure:

Not Classified.

Aspiration hazard:

Not Classified.

Section 12 - Ecological Information

12.1 Toxicity

Ecotoxicity data for the components/mixture

No data Available

Acute aquatic toxicity:

Not classified

Chronic aquatic toxicity:

Not classified

12.2 Persistence and degradability

No data Available

12.3 Bioaccumulative potential

Not established

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Avoid release to the environment.

Section 13 - Disposal Considerations

13.1. Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations. Avoid disposing into drainage systems and into the environment. Do not dispose of waste into sewer. Empty containers may be recycled after cleaning.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14 - Transport Information

DOT and IMDG Regulation: Consumer Commodity, ORM-D

IATA Regulation

14.1 UN number: UN1013

14.2 UN proper shipping name: CARBON DIOXIDE

Safety Data Sheet

Leak Saver - Automotive Leak Sealant Injector & AC Drain Line Cleaner Tool | Condensate Line Co2 Drain Gun | AC Drain Line Unclogger



Date of issue: 01-Nov-2025 Revision date:01-Nov-2025 Version: 1.0

14.3 Transport hazard class(es)	2	
14.4 Packaging group:	none	
14.5 Environmental hazards:	Yes	
14.6 Special precautions for user:	Keep away from heat, metals and ignition source	

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

WHMIS classification for product:

See section 2 details

U.S. Federal Regulations:

SARA 311/312 Hazard Categories

Physical Hazard	Health Hazard
Refer section 2	Refer section 2

TSCA Components:

All components of this product are listed or are exempt from listing on the Toxic Substances Control Act.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

Section 16 - Other Information

Full text of H- and EUH-statements:

H280 - Contains gas under pressure; may explode if heated

Abbreviations and acronyms:

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration, 50 percent
LD50	Lethal dose, 50 percent
IC50	Concentration causing 50% blockade
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level

Safety Data Sheet

Leak Saver - Automotive Leak Sealant Injector & AC Drain Line Cleaner
Tool | Condensate Line Co2 Drain Gun | AC Drain Line Unclogger



Date of issue: 01-Nov-2025 Revision date:01-Nov-2025 Version: 1.0

OEL	Occupational Exposure Limits
PNEC	Predicted no-effect concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	Very Persistent and very Bioaccumulative
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	United Nations; Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
WGK	Water Hazard Class
CWA	Clean Air Act
SARA	Superfund Amendments and Reauthorization Act
CAA	Clean Air Act
STOT RE	Specific Target Organ Toxicity - Repeated Exposure
STOT SE	Specific Target Organ Toxicity - Single Exposure
log Kow	Octanol-water partition coefficient

Statement:

The SDS is prepared based on the information provided by supplier. The information in this safety data sheet is to the best of our current knowledge true and accurate. It does not represent any guarantee of the properties, data, instructions, recommendations and/or suggestions of the product.

The Employer and User should make their own responsibility for investigations to determine the suitability of the information for their particular purposes. The Company and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.